

Post-prostatectomy incontinence

Poster Session 52

Sunday, 26 March
15:45 - 17:15

Location: Room Amsterdam, North Hall (Level 1)

Chairs: R. Bauer, Munich (DE)
H.S. Son, Seoul (KR)
F. Van Der Aa, Leuven (BE)

Aims and objectives of this session

Despite considerable efforts in preserving continence after radical prostatectomy, PPI remains an important challenge.

Poster viewing of 20 minutes. Presentations will take place on stage. Standard presentations are 2 minutes in length, followed by 2 minutes for discussion. Extended presentations (*) are 3 minutes in length, followed by 3 minutes for discussion.

*692

Previous incontinence surgery and surgical volume predict social continence and surgical revision: Results of a large multi-institutional study

By: Tutolo M.¹, Castagna G.², Ammirati E.³, Drake M.⁴, Thiruchelvam N.⁵, Tikkinen K.⁶, Bachmann A.⁷, Martinez-Salamanca J.⁸, Bozzini G.⁹, Bauer R.¹⁰, Heesakkers J.¹¹, Favro M.¹², Lee R.¹³, Larré S.¹⁴, De Nunzio C.¹⁵, Haab F.¹⁶, Ahyai S.¹⁷, Pichon T.¹⁸, Cornu J-N.¹⁶, Van Der Aa F.¹

Institutes:¹University Hospitals Leuven, Dept. of Urology, Leuven, Belgium, ²Urological Research Institute, IRCCS Ospedale San Raffaele, Division of Oncology, Unit of Urology, Milan, Italy, ³Azienda Ospedaliera Universitaria, Città Della Salute E Della Scienza, Ospedale Molinette, Università, Dept. of Urology, Turin, Italy, ⁴Spire Bristol Hospital, Dept. of Urology, Bristol, United Kingdom, ⁵Spire Cambridge Lea Hospital, Dept. of Urology, Cambridge, United Kingdom, ⁶Helsinki University Central Hospital and University of Helsinki, Dept. of Urology, Helsinki, Finland, ⁷University Hospital of Basel, Dept. of Urology, Basel, Switzerland, ⁸Hospital Ruber Internacional, Hospital Universitario Puerta De Hierro-Majadahonda, Dept. of Urology, Madrid, Spain, ⁹Humanitas Mater Domini, Dept. of Urology, Milan, Italy, ¹⁰Ludwig-Maximilian University, Dept. of Urology, Munich, Germany, ¹¹Radboud University Nijmegen MC, Dept. of Urology, Nijmegen, The Netherlands, ¹²Ospedale Maggiore Della Carità Di Novara, Dept. of Urology, Novara, Italy, ¹³NewYork-Presbyterian/Weill Cornell Medical Center, Dept. of Urology, New York, United States of America, ¹⁴CHU De Reims, Dept. of Urology, Reims, France, ¹⁵Azienda Ospedaliera Sant'Andrea, Dept. of Urology, Rome, Italy, ¹⁶CHU Charles Nicolle, Dept. of Urology, Paris, France, ¹⁷UNI-Klinikum Hamburg-Eppendorf Hamburg-Eppendorf Klinik Für Urologie, Dept. of Urology, Hamburg, Germany, ¹⁸Angers University Hospital, Dept. of Urology, Angers, France

693

Causes and outcomes of AMS 800 ablation

By: Haillet O., Monleon L.

Institutes:CHRU de Tours, Hôpital Bretonneau, Dept. of Urology, Tours, France

694

Preliminary outcomes of the European multicentre experience with the ZSI 375™ artificial urinary sphincter for treatment of stress urinary incontinence in men

By: Pottek T.¹, Ostrowski I.², Ciecchan J.², Sledz E.², Dys W.², Golabek T.³, Przydacz M.³, Chlostka P.³, Blewniewski M.⁴, Von Heyden B.⁵, Neugart F.⁶, Carrieri G.⁷, Selvaggio O.⁷, Iori F.⁸

Institutes:¹Vivantes Klinikum Am Urban, Dept. of Reconstructive Urology and Genderincongruence, Berlin, Germany, ²Regional Specialistic Hospital, Dept. of Urology, Pulawy, Poland, ³Collegium Medicum of The Jagiellonian University, Dept. of Urology, Krakow, Poland, ⁴District Specialistic Hospital, Dept. of Urology, Lodz, Poland, ⁵Urology Practice, Dept. of Urology, Gaildorf, Germany, ⁶Klinikum Mittelbaden, Dept. of Urology, Baden-Baden, Germany, ⁷Foggia, Dept. of Urology, Foggia, Italy, ⁸Umberto I Hospital, Dept. of Urology, Rome, Italy

- 695 **Use of surgery for post radical prostatectomy urinary incontinence. Nationwide, population-based, study**
 By: [Ventimiglia E.](#)¹, Folkvaljon Y.², Akre O.³, Bratt O.⁴, Carlsson S.⁵, Johansson E.⁶, Peeker R.⁷, Volz D.⁵, Stattin P.⁶
 Institutes:¹IRCCS Ospedale San Raffaele, Dept. of Oncology and Urology; URI, Milan, Italy, ²Regional Cancer Centre Uppsala/Örebro, Department of Surgical Sciences, Uppsala, Sweden, ³Karolinska Institutet, Dept. of Urology, Stockholm, Sweden, ⁴Cambridge University Hospitals, Dept. of Urology/CamPARI Clinic, Cambridge, United Kingdom, ⁵Karolinska Institutet, Dept. of Molecular Medicine and Surgery, Section of Urology, Stockholm, Sweden, ⁶Uppsala University, Dept. of Surgical Sciences, Uppsala, Sweden, ⁷Sahlgrenska University Hospital, Dept. of Urology; Institute For Clinical Sciences, Gothenburg, Sweden
- 696 **Long-term outcomes after AMS 800 artificial urinary sphincter implantation in men with stress urinary incontinence: Review of 150 patients**
 By: [Sandri S.](#), D'Urbano F.
 Institutes:Hospital G. Fornaroli, Dept. of Urology, Magenta, Italy
- 697 **Quantitative assessment of nerve preservation improves the prediction of membranous urethral length on continence outcome after robot-assisted radical prostatectomy**
 By: [Grivas N.](#)¹, Van Der Roest R.¹, Schouten D.², Cavicchioli F.³, Artibani W.³, Heijmink S.², Schoots I.², Van Der Poel H.²
 Institutes:¹Netherlands Cancer Institute - Antoni van Leeuwenhoek Hospital, Dept. of Urology, Amsterdam, The Netherlands, ²Netherlands Cancer Institute - Antoni van Leeuwenhoek Hospital, Dept. of Radiology, Amsterdam, The Netherlands, ³Aouï Verona, Dept. of Urology, Verona, Italy
- 698 **MRI usefulness for prediction of urinary continence after radical prostatectomy**
 By: Amoros-Torres A.², [Durán-Rivera A.](#)¹, Juan J.¹, Escudero E.², Nuño De La Rosa I.³, Ramos De Campos M.¹
 Institutes:¹Valencia University General Hospital, Dept. of Urology, Valencia, Spain, ²Vinalopo University Hospital, Dept. of Urology, Elche, Spain, ³Elda General Hospital, Dept. of Urology, Elda, Spain
- 699 **Medium-term outcomes after transobturator sling placement for male post-prostatectomy urinary incontinence using a titanised mesh with De Leval technique**
 By: [Sacco E.](#), Bientinesi R., Gandi C., Vaccarella L., Racioppi M., Pinto F., Totaro A., Palermo G., Bassi P.
 Institutes:Agostino Gemelli Hospital Foundation, Catholic University, Dept. of Urology, Rome, Italy
- 700 **Early postoperative urinary retention as a prognostic factor for continence outcomes after insertion of transobturator sling for male stress urinary incontinence**
 By: [Chung A.](#), Zuckerman J., Suarez O., McCammon K.
 Institutes:Eastern Virginia Medical School, Dept. of Urology, Norfolk, United States of America
- 701 **Efficiency and complications of the AMS AdVance™ Male Sling System for the treatment of male stress urinary incontinence: One prospective multicentric study**
 By: [Ye H.](#)¹, Tonoli-Catez H.¹, M Bauer R.², De Ridder D.³, Haab F.⁴, Chauveau P.⁵, Arano P.⁶, Haillet O.⁷, Fassi-Fehri H.¹
 Institutes:¹Hopital Edouard Herriot, Dept. of Urology, Lyon, France, ²Ludwig-Maximilians-University, Dept. of Urology, Munich, Germany, ³UZ Gasthuisberg, Dept. of Urology, Leuven, Belgium, ⁴Institution Tenon Hospital, Dept. of Urology, Paris, France, ⁵Clinique Jules Verne, Dept. of Urology, Nantes, France, ⁶Fundacion Puigvert, Dept. of Urodynamic, Barcelona, Spain, ⁷Hospital Bretonneau, Dept. of Urology, Tours, France
- 702 **ATOMS system for treatment of postprostatectomy urinary incontinence: A prospective single centre experience**
 By: Dalpiaz O., [Strini K.](#), Ehrlich G., Pummer K., Primus G.
 Institutes:LKH-Univ. Klinikum Graz, Dept. of Urology, Graz, Austria

- *703 **Mid-term follow up of the AdVance XP sling in the treatment of post-prostatectomy stress urinary incontinence – first 4-year results from a prospective multicenter trial**
By: Grabbert M.¹, Kretschmer A.¹, Klehr B.¹, Gozzi C.², Rehder P.³, May F.⁴, Homberg R.⁵, Gebhartl P.⁶, Stief C.G.¹, Bauer R.M.¹
Institutes:¹Ludwig-Maximilians-University Munich (LMU), Dept. of Urology, Munich, Germany, ² Marienlinik Bozen, Dept. of Urology, Bolzano, Italy, ³Medical University Innsbruck, Dept. of Urology, Innsbruck, Austria, ⁴Klinikum Dachau, Dept. of Urology, Dachau, Germany, ⁵St. Barbara Klinik Hamm, Dept. of Urology, Hamm, Germany, ⁶Klinikum Voecklabruck, Dept. of Urology, Voecklabruck, Austria
- 704 **Overactive bladder after artificial urinary sphincter implantation**
By: Son H.S., Gamo M.B., Heo J.E., Oh K.T., Kim J.H.
Institutes:Yonsei University College of Medicine, Dept. of Urology, Seoul, South Korea
- 705 **ProACT™ device implantation after male sling failure for post-prostatectomy urinary incontinence: A monocentric experience**
By: Baron M.G., Delcourt C., Nouhaud F-X., Pfister C., Grise P., Cornu J-N.
Institutes:Rouen University Hospital, Dept. of Urology, Rouen, France