

BLEXIT - best perioperative outcomes from cystectomy

Poster Session 20

Saturday, 25 March
16:00 - 17:30

Location: Room Copenhagen, North Hall (Level 1)

Chairs: P. Anderson, Melbourne (AU)
P. Gontero, Turin (IT)

Aims and objectives of this session

To understand how to optimize perioperative outcomes in cystectomy.

Poster viewing of 20 minutes. Presentations will take place on stage. Standard presentations are 2 minutes in length, followed by 2 minutes for discussion.

- 261 **Postoperative psoas muscle loss and nutritional deterioration after radical cystectomy for patients with invasive bladder cancer**
By: Miyake M.¹, Morizawa Y.¹, Hori S.¹, Marugami N.², Shimada K.³, Gotoh D.¹, Tatsumi Y.¹, Nakai Y.¹, Anai S.¹, Tanaka N.¹, Fujimoto K.¹
Institutes:¹Nara Medical University, Dept. of Urology, Nara, Japan, ²Nara Medical University, Dept. of Radiology, Nara, Japan, ³Nara City Hospital, Dept. of Pathology, Nara, Japan
- 262 **Robot-assisted laparoscopic cystectomy vs. open mini-laparotomy cystectomy: Evaluation of anti-inflammatory potential of CO2-pneumoperitoneum in a randomized porcine study**
By: Kingo P.S.¹, Rasmussen T.M.¹, Jakobsen L.K.¹, Palmfeldt J.², Borre M.¹, Nørregaard R.², Jensen J.B.¹
Institutes:¹Aarhus University Hospital, Skejby, Dept. of Urology, Aarhus N, Denmark, ²Aarhus University Hospital, Skejby, Dept. of Clinical Medicine, Aarhus N, Denmark
- 263 **Withdrawn**
By:
Institutes:
- 264 **20-gene expression signature to predict lymph node positive disease at radical cystectomy for muscle-invasive bladder cancer: Not validated**
By: Van Kessel K.¹, Van De Werken H.², Lurkin I.¹, Ziel-Van Der Made A.¹, Zwarthoff E.¹, Boormans J.³
Institutes:¹Erasmus MC, Dept. of Pathology, Rotterdam, The Netherlands, ²Erasmus MC, Cancer Computational Biology Center (CCBC), Rotterdam, The Netherlands, ³Erasmus MC, Dept. of Urology, Rotterdam, The Netherlands
- 265 **The use of antibiotic prophylaxis in patients undergoing radical cystectomy for bladder cancer**
By: Haider M.¹, Mayr R.¹, Fritsche H-M.¹, Ladurner C.², Pycha A.², Comploj E.², Lemire F.³, Lacombe L.³, Fradet Y.³, Lodde M.³
Institutes:¹University of Regensburg, Dept. of Urology, Regensburg, Germany, ²General Hospital of Bolzano, Dept. of Urology, Bolzano, Italy, ³Laval University, Dept. of Urology, Québec, Canada
- 266 **Can radical cystectomy be performed safely in the metastatic setting? Location of metastatic bladder cancer as a determinant of in-hospital mortality**
By: Zaffuto E.¹, Moschini M.¹, Leyh-Bannurah S-R.², Gazdovich S.³, Dell'Oglio P.¹, Pompe R.², Shariat S.⁴, Montorsi F.¹, Briganti A.¹, Saad F.⁵, Karakiewicz P.³
Institutes:¹IRCCS Ospedale San Raffaele, Division of Oncology/Unit of Urology; URI, Milan, Italy, ²Prostate Cancer Center Hamburg-Eppendorf, Martini-Clinic, Hamburg, Germany, ³University of Montreal Health Center, Cancer Prognostics and Health Outcomes Unit, Montreal, Canada, ⁴Medical University of Vienna, Dept. of Urology, Vienna, Austria, ⁵University of Montreal Health

Center, Dept. of Urology, Montreal, Canada

- 267 **Increasing use of incontinent urinary diversion: A total population analysis of radical cystectomies in Germany from 2006 to 2013**
 By: Groeben C.¹, Koch R.², Baunacke M.¹, Wirth M.¹, Huber J.¹
 Institutes:¹TU Dresden, Medical Faculty Carl Gustav Carus, Dept. of Urology, Dresden, Germany, ²TU Dresden, Medical Faculty Carl Gustav Carus, Dept. of Medical Statistics and Biometry, Dresden, Germany
- 268 **Incidence and risk factors for venous thromboembolism after transurethral resection of bladder tumor: A population-based analysis**
 By: Zaffuto E.¹, Pompe R.², Moschini M.¹, Bondarenko H.D.³, Dell'Oglio P.¹, Fossati N.¹, Gandaglia G.¹, Gallina A.¹, Shariat S.F.⁴, Montorsi F.¹, Briganti A.¹, Karakiewicz P.I.⁵
 Institutes:¹IRCCS Ospedale San Raffaele, Dept. of Oncology and Urology, Milan, Italy, ²Prostate Cancer Center Hamburg-Eppendorf, Martini-Clinic, Hamburg, Germany, ³University of Montreal Health Center, Cancer Prognostics and Health Outcomes Unit, Montreal, Canada, ⁴Medical University of Vienna, Dept. of Urology, Vienna, Austria, ⁵University of Montreal Health Center, Dept. of Cancer Prognostics and Health Outcomes, Montreal, Canada
- 269 **Diarrhea as a limiting factor of quality of life after radical cystectomy: Results from a cross-sectional study evaluating long-term bowel issues in bladder cancer patients**
 By: Huqe M.C.¹, Vahlensieck W.², Hennig M.¹, Ozimek T.¹, Struck J.¹, Tezval H.³, Merseburger A.¹, Kuczyk M.³, Kramer M.¹
 Institutes:¹University Hospital Schleswig-Holstein, Campus Luebeck, Dept. of Urology, Luebeck, Germany, ²Kurpark-Klinik, Dept. of Urology, Bad Nauheim, Germany, ³Hanover Medical School, Dept. of Urology, Hanover, Germany
- 270 **Low psoas muscle volume indicates long hospitalization after radical cystectomy**
 By: Kawahara T., Saitoh Y., Miyoshi Y., Uemura H.
 Institutes:Yokohama City University Medical Center, Dept. of Urology and Renal Transplantation, Yokohama, Japan
- 271 **Efficacy of long acting sandostatin on reducing mucus production in patients with ileal neobladder**
 By: Khorrami M.H.
 Institutes:Isfahan University of Medical Sciences, Dept. of Urology, Isfahan, Iran
- 272 **The BAUS radical cystectomy audit 2014/2015 - an update on current practice and an analysis of the effect of centre and surgeon case volume**
 By: Khadhoury S.¹, Miller C.¹, Cresswell J.², Rowe E.³, Fowler S.⁴, Hounsome L.⁵, McGrath J.S.¹
 Institutes:¹Royal Devon and Exeter Hospital, Dept. of Urology, Exeter, United Kingdom, ²South Tees NHS Trust, Dept. of Urology, Middlesbrough, United Kingdom, ³North Bristol NHS Trust, Dept. of Urology, Bristol, United Kingdom, ⁴BAUS, Dept. of Surgery, London, United Kingdom, ⁵Public Health England, Dept. of Public Health, London, United Kingdom
- 273 **Pure histological variants are associated with poor survival at radical cystectomy in patients with bladder cancer**
 By: Moschini M.¹, Colombo R.¹, Gandaglia G.¹, Di Trapani E.¹, Burgio G.¹, Damiano R.², Mattei A.³, Shariat S.⁴, Salonia A.¹, Briganti A.¹, Montorsi F.¹, Gallina A.¹
 Institutes:¹IRCCS Ospedale San Raffaele, Dept. of Urology, Milan, Italy, ²Magna Graecia University of Catanzaro, Dept. of Urology, Catanzaro, Italy, ³Luzerner Kantonsspital, Dept. of Urology, Lucerne, Switzerland, ⁴Medical University of Vienna, Dept. of Urology, Vienna, Austria
- 274 **Comparative effectiveness of trimodal therapy versus radical cystectomy for localized muscle-invasive urothelial carcinoma of the bladder**
 By: Seisen T.¹, Sun M.¹, Lipsitz S.², Abdollah F.³, Leow J.¹, Menon M.³, Von Landenberg N.¹, Gild P.¹, Rouprêt M.⁴, Preston M.¹, Harshman L.⁵, Kibel A.S.¹, Nguyen P.⁶, Bellmunt J.⁵, Choueiri T.⁵, Trinh Q.-D.¹
 Institutes:¹Brigham and Women's Hospital, Harvard Medical School, Division of Urological Surgery

and Center For Surgery and Public Health, Boston, United States of America, ²Brigham and Women's Hospital, Harvard Medical School, Division of Urological Surgery and Center For, Boston, United States of America, ³Henry Ford Health System, VUI Center For Outcomes Research, Analytics and Evaluation, Vattikuti Urology Institute, Detroit, United States of America, ⁴Pitié-Salpêtrière, APHP, University Paris VI, Dept. of Urology, Paris, France, ⁵Dana Farber Cancer Institute, Dept. of Medical Oncology, Boston, United States of America, ⁶Brigham and Women's Hospital, Harvard Medical School, Dept. of Radiation Oncology, Boston, United States of America

17:19 - 17:26

Summary

P. Anderson, Melbourne (AU)