

## Functional aspects of reconstructive surgery

Poster Session 87

Monday, 27 March  
15:45 - 17:15

**Location:** Room Stockholm, North Hall (Level 1)

**Chairs:** H. Abol-Enein, Mansoura (EG)  
E. Chartier-Kastler, Paris (FR)  
M. Hohenfellner, Heidelberg (DE)

**Aims and objectives of this session**

To assess the functional results of various bladder reconstruction techniques.

Poster viewing of 20 minutes. Presentations will take place on stage. Standard presentations are 2 minutes in length, followed by 2 minutes for discussion.

- V91 **Robot assisted repair of a vesicovaginal fistula with a peritoneal flap**  
By: Papadoukakis S., Poth S., Horstmann M.  
**Institutes:**MKH St. Josefshospital, Dept. of Urology, Krefeld, Germany
- 1147 **Ureteric injury is rarer than previously reported in association with developed world vesico-vaginal fistulae**  
By: Seth J., Kiosoglous A.J., Pakzad M.H., Hamid R., Ockrim J.L., Shah P.J.R., Greenwell T.J.  
**Institutes:**University College London Hospital, Dept. of Urology, London, United Kingdom
- 1148 **Attempted nerve sparing has a lifelong impact on urinary continence in patients with an orthotopic bladder substitute**  
By: Furrer M.A., Gross T., Thalmann G., Studer U., Nguyen D.  
**Institutes:**University Hospital Bern, Dept. of Urology, Bern, Switzerland
- 1149 **Functional outcomes after radical cystectomy with ileal neobladder**  
By: Von Landenberg N.<sup>1</sup>, Hanske J.<sup>2</sup>, Berg S.<sup>2</sup>, Schmidt J.<sup>2</sup>, Brock M.<sup>2</sup>, Palisaar J.<sup>2</sup>, Von Bodman C.<sup>2</sup>, Roghmann F.<sup>2</sup>, Noldus J.<sup>2</sup>  
**Institutes:**<sup>1</sup>Ruhr-University Bochum, Marien-Hospital Herne, Herne, Germany, Brigham and Women's Hospital, Harvard Medical School, Boston, United States of America, <sup>2</sup>Ruhr-University Bochum, Marien-Hospital Herne, Dept. of Urology, Herne, Germany
- 1150 **Functional outcomes of Turin pouch: A novel ileocecal cutaneous continent urinary diversion**  
By: Muto G.<sup>1</sup>, Altobelli E.<sup>1</sup>, Mastroianni R.<sup>1</sup>, Giacobbe A.<sup>2</sup>, Castelli E.<sup>2</sup>, Papalia R.<sup>1</sup>  
**Institutes:**<sup>1</sup>Campus Bio-Medico University, Dept. of Urology, Rome, Italy, <sup>2</sup>San Giovanni Bosco Hospital, Dept. of Urology, Turin, Italy
- 1151 **Is the rectosigmoid-pouch (Mainz-Pouch-II) still a valid option for children and adolescents?**  
By: Huck N.F.<sup>1</sup>, Ewald S.<sup>2</sup>, Neisius A.<sup>2</sup>, Thüroff J.<sup>1</sup>, Stein R.<sup>3</sup>  
**Institutes:**<sup>1</sup>UMM Universitätsmedizin Mannheim, Dept of Urology, Mannheim, Germany, <sup>2</sup>Universitätsmedizin Mainz, Dept of Urology, Mainz, Germany, <sup>3</sup>UMM Universitätsmedizin Mannheim, Zentrum für Kinder- und Jugendurologie, Mannheim, Germany
- 1152 **Continent ileovesicostomy after bladder neck closure as salvage procedure for intractable incontinence**  
By: Kranz J.<sup>1</sup>, Anheuser P.<sup>2</sup>, Rausch S.<sup>3</sup>, Fechner G.<sup>4</sup>, Braun M.<sup>5</sup>, Müller S.<sup>6</sup>, Steffens J.<sup>1</sup>, Kälble T.<sup>7</sup>  
**Institutes:**<sup>1</sup>St.-Antonius-Hospital Eschweiler, Dept. of Urology and Pediatric Urology, Eschweiler, Germany, <sup>2</sup>Albertinen Krankenhaus, Dept. of Urology, Hamburg, Germany, <sup>3</sup>Universitätsklinikum

Tübingen, Dept. of Urology, Tübingen, Germany, <sup>4</sup>Facharztzentrum Euskirchen, Dept. of Urology, Euskirchen, Germany, <sup>5</sup>Klinikum Leverkusen, Dept. of Urology, Leverkusen, Germany, <sup>6</sup>Universitätsklinikum Bonn, Clinic and Polyclinic for Urology and Pediatric Urology, Bonn, Germany, <sup>7</sup>Klinikum Fulda, Dept. of Urology and Pediatric Urology, Fulda, Germany

- 1153 **Pregnancy after urinary diversion at young ages: Risks and outcome**  
By: [Huck N.F.](#)<sup>1</sup>, [Schweizerhof S.](#)<sup>2</sup>, [Honeck P.](#)<sup>1</sup>, [Neisius A.](#)<sup>2</sup>, [Thüroff J.](#)<sup>1</sup>, [Stein R.](#)<sup>3</sup>  
Institutes:<sup>1</sup>UMM Universitätsmedizin Mannheim, Klinik für Urologie, Mannheim, Germany, <sup>2</sup>Universitätsmedizin Mainz, Klinik für Urologie, Mainz, Germany, <sup>3</sup>UMM Universitätsmedizin Mannheim, Zentrum Für Kinder- Und Jugendurologie, Mannheim, Germany
- 1154 **Managing pregnancy in those who have undergone complex urological reconstruction**  
By: [Rajendran S.](#)<sup>1</sup>, [Sihra N.](#)<sup>1</sup>, [O'Brien P.](#)<sup>2</sup>, [Wood D.](#)<sup>1</sup>  
Institutes:<sup>1</sup>University College London Hospital, Dept. of Urology, London, United Kingdom, <sup>2</sup>University College London Hospital, Dept. of Obstetrics and Gynaecology, London, United Kingdom
- 1155 **Does the use of recreational ketamine pose a challenge on bladder reconstruction?**  
By: [Sihra N.](#), [Rajendran S.](#), [Ockrim J.](#), [Wood D.](#)  
Institutes:University College London Hospital, Dept. of Urology, London, United Kingdom
- 1156 **A step toward scarless surgery: Robot-assisted laparoendoscopic single-site versus mini-laparoscopic pyeloplasty**  
By: [Fiori C.](#), [Bertolo R.](#), [Manfredi M.](#), [Mele F.](#), [Amparore D.](#), [Cattaneo G.](#), [Garrou D.](#), [Piramide F.](#), [Toso S.](#), [Scarpa R.M.](#), [Porpiglia F.](#)  
Institutes:San Luigi Hospital, Dept. of Urology, Turin, Italy
- 1157 **Chemical ablation of the bladder urothelium and intestinal de-epithelialization and its effect on mucous secretion in augmentation cystoplasty: An experimental study**  
By: [Abou Hashem S.](#)  
Institutes:Zagazig University Hospital, Dept. of Urology, Zagazig, Egypt
- 
- V81 **The novel technique of pelvic organ prolapse treatment: Apical sling and subfascial colporrhaphy**  
By: [Shkarupa D.](#), [Pisarev A.](#), [Zaytseva A.](#), [Shapovalova E.](#), [Kubin N.](#)  
Institutes:University Clinic of Saint Petersburg State University, Dept. of Urology, Saint-Petersburg, Russia
- 17:02 - 17:09 **Summary**  
E. Chartier-Kastler, Paris (FR)