

## Men's sexual health: Focus on treatment of erectile dysfunction and Peyronie's disease

Poster Session 28

Saturday, 25 March  
16:00 - 17:30

**Location:** Room 7, Capital suite (level 3)

**Chairs:** M.M. Fode, Herlev (DK)  
D. Hatzichristou, Thessaloniki (GR)  
J. Romero Otero, Madrid (ES)

### Aims and objectives of this session

This session will provide the audience with the most recent clinical evidence on the treatment of erectile dysfunction and Peyronie's disease. The main aim is to leave the audience with ideas which can be implemented in everyday clinical practice.

Poster viewing of 20 minutes. Presentations will take place on stage. Standard presentations are 2 minutes in length, followed by 2 minutes for discussion. Extended presentations (\*) are 3 minutes in length, followed by 3 minutes for discussion.

\*368

### Safety and potential effect of a single intracavernous injection of autologous adipose-derived regenerative cells in patients with erectile dysfunction following radical prostatectomy: 12-month follow-up

**By:** Haahr M.<sup>1</sup>, Jensen C.H.<sup>2</sup>, Sørensen J.A.<sup>3</sup>, Sheikh S.P.<sup>4</sup>, Lund L.<sup>1</sup>

**Institutes:**<sup>1</sup>Odense University Hospital, Dept. of Urology, Odense, Denmark, <sup>2</sup>Odense University Hospital, Dept. of Clinical Biochemistry and Pharmacology, Odense, Denmark, <sup>3</sup>Odense University Hospital, Dept. of Plastic Surgery, Odense, Denmark, <sup>4</sup>Odense University Hospital, Dept. of Clinical Biochemistry and Pharmacology, Odense, Denmark

369

### A pilot study on the safety and feasibility of VL#FIA3-30 - a newly developed topical agent for treating erectile dysfunction

**By:** Appel B., Massarwa O., Gruenwald I.

**Institutes:**Rambam Health Care Campus, Dept. of Urology, Haifa, Israel

370

### Multicenter investigation of the microorganisms involved in penile prosthesis infection: An analysis of the efficacy of the AUA and EAU guidelines for penile prosthesis prophylaxis

**By:** Gross M.<sup>1</sup>, Phillips E.<sup>2</sup>, Carrasquillo R.<sup>3</sup>, Thornton A.<sup>4</sup>, Greenfield J.<sup>5</sup>, Levine L.<sup>6</sup>, Alukal J.<sup>7</sup>, Conners W.<sup>8</sup>, Glina S.<sup>9</sup>, Tanrikut C.<sup>10</sup>, Honig S.<sup>11</sup>, Becher E.<sup>12</sup>, Bennett N.<sup>13</sup>, Wang R.<sup>14</sup>, Perito P.<sup>15</sup>, Stahl P.<sup>16</sup>, Rosselló Gayá M.<sup>17</sup>, Rosselló Barbará M.<sup>17</sup>, Cedeno J.<sup>18</sup>, Gheiler E.<sup>18</sup>, Kalejaiye O.<sup>19</sup>, Ralph D.<sup>19</sup>, Köhler T.<sup>20</sup>, Stember D.<sup>21</sup>, Carrion R.<sup>22</sup>, Maria P.<sup>23</sup>, Brant W.<sup>24</sup>, Bickell M.<sup>25</sup>, Garber B.<sup>25</sup>, Pineda M.<sup>26</sup>, Burnett A.<sup>26</sup>, Eid J.F.<sup>27</sup>, Henry G.<sup>28</sup>, Munarriz R.<sup>3</sup>

**Institutes:**<sup>1</sup>Dartmouth-Hitchcock Medical Center, Dept. of Urology, Lebanon, United States of America, <sup>2</sup>CentraCare Health, Dept. of Urology, St. Cloud, United States of America, <sup>3</sup>Boston University Medical Center, Dept. of Urology, Boston, United States of America, <sup>4</sup>Boston University Medical Center, Dept. of Medicine, Boston, United States of America, <sup>5</sup>Urology Associates of North Texas, Dept. of Urology, Arlington, United States of America, <sup>6</sup>Rush University Medical Center, Dept. of Urology, Chicago, United States of America, <sup>7</sup>NYU Langone Medical Center, Dept. of Urology, New York City, United States of America, <sup>8</sup>Beth Israel Deaconess Medical Center, Dept. of Urology, Boston, United States of America, <sup>9</sup>Faculdade de Medicina Do ABC/Instituto H. Ellis, Dept. of Urology, São Paulo, Brazil, <sup>10</sup>Massachusetts General Hospital, Dept. of Urology, Boston, United States of America, <sup>11</sup>Yale School of Medicine, Dept. of Urology, New Haven, United States of America, <sup>12</sup>University of Buenos Aires, Dept. of Urology, Buenos Aires, Argentina, <sup>13</sup>Northwestern Memorial Hospital, Dept. of Urology, Chicago, United States of America, <sup>14</sup>The University of Texas Health Science Center At Houston, Dept. of Urology, Houston, United States of America, <sup>15</sup>Perito Urology, Dept. of Urology, Miami, United States of America, <sup>16</sup>Columbia University College of

Physicians & Surgeons, Dept. of Urology, New York City, United States of America, <sup>17</sup>Hospital Quirón Palmaplanas Salud, Dept. of Urology, Palma de Mallorca, Spain, <sup>18</sup>Urology Specialists, Dept. of Urology, Hialeah, United States of America, <sup>19</sup>University College London Hospital, Dept. of Urology, London, United Kingdom, <sup>20</sup>SIU School of Medicine, Dept. of Urology, Springfield, United States of America, <sup>21</sup>Mount Sinai Hospital, Dept. of Urology, New York City, United States of America, <sup>22</sup>USF Morsani College of Medicine, Dept. of Urology, Tampa, United States of America, <sup>23</sup>Albert Einstein College of Medicine, Dept. of Urology, New York City, United States of America,

<sup>24</sup>University of Utah Hospital, Dept. of Urology, Salt Lake City, United States of America, <sup>25</sup>Hahnemann University Hospital, Dept. of Urology, Philadelphia, United States of America, <sup>26</sup>Johns Hopkins University School of Medicine, Dept. of Urology, Baltimore, United States of America, <sup>27</sup>Advanced Urological Care, Dept. of Urology, New York City, United States of America, <sup>28</sup>Regional Urology, Dept. of Urology, Shreveport, United States of America

371 **Penile prosthesis implantation preserves and may increase penile size irrespective of implant type**  
**By:** [Giona S.](#)<sup>1</sup>, Habous M.<sup>2</sup>, Abdelwahab O.<sup>3</sup>, Laban O.<sup>4</sup>, Mahmoud S.<sup>2</sup>, Nassar M.<sup>5</sup>, Tealab A.<sup>6</sup>, Binsaleh S.<sup>7</sup>, Mulhall J.<sup>8</sup>, Muir G.<sup>1</sup>

**Institutes:**<sup>1</sup>King's College Hospital, Dept. of Urology, London, United Kingdom, <sup>2</sup>Elaj Medical Centers, Dept. of Urology, Jeddah, Saudi Arabia, <sup>3</sup>Benha University, Dept. of Urology, Benha, Egypt, <sup>4</sup>King Khaled Hospital, Dept. of Urology, Tabouk, Saudi Arabia, <sup>5</sup>Elaj Medical Centers, Dept. of Urology, Madina, Saudi Arabia, <sup>6</sup>Zagazig University, Dept. of Urology, Zagazig, Egypt, <sup>7</sup>King Saud University, Dept. of Urology, Riyadh, Saudi Arabia, <sup>8</sup>Memorial Sloan Kettering Cancer Center, Sexual and Reproductive Medicine, New York, United States of America

372 **Distal corporal anchoring stitch, a technique to address distal corporal crossovers and impending lateral extrusions of a penile prosthesis**

**By:** [Busetto G.M.](#)<sup>1</sup>, Antonini G.<sup>1</sup>, Del Giudice F.<sup>1</sup>, De Berardinis E.<sup>1</sup>, Perito P.<sup>2</sup>

**Institutes:**<sup>1</sup>Sapienza Rome University, Dept. of Urology, Rome, Italy, <sup>2</sup>Coral Gable Hospital, Dept. of Urology, Miami, United States of America

\*373 **The role of the tachosil and SIS as grafts after inflatable penile prosthesis implantation and plaque incision: Surgical and functional outcomes in a single center prospective comparative study**

**By:** Falcone M.<sup>1</sup>, [Timpano M.](#)<sup>1</sup>, Ceruti C.<sup>1</sup>, Omid S.<sup>1</sup>, Sibona M.<sup>1</sup>, Gillo A.<sup>2</sup>, Oderda M.<sup>1</sup>, Cocci A.<sup>3</sup>, Gontero P.<sup>1</sup>, Rolle L.<sup>1</sup>

**Institutes:**<sup>1</sup>University of Turin, Dept. of Urology, Turin, Italy, <sup>2</sup>Ospedale Parini, Dept. of Urology, Aosta, Italy, <sup>3</sup>University of Florence, Dept. of Urology, Florence, Italy

374 **Small intestinal submucosa graft in the treatment of Peyronie's disease: Long term patient-reported outcomes and satisfaction**

**By:** [Ribeiro Morgado L.A.](#)<sup>1</sup>, Ribeiro Morgado M.<sup>2</sup>, Pacheco-Figueiredo L.<sup>1</sup>, Tomada N.<sup>1</sup>, Cruz F.<sup>1</sup>

**Institutes:**<sup>1</sup>Centro Hospitalar São João, Dept. of Urology, Porto, Portugal, <sup>2</sup>Faculdade de Medicina da Universidade do Porto, Dept. of Renal, Infectious and Urologic Diseases, Porto, Portugal

375 **Surgical correction of Peyronie's disease via tunica albuginea plication - long term follow up**

**By:** Seveso M.<sup>1</sup>, Melegari S.<sup>1</sup>, [Bozzini G.](#)<sup>1</sup>, Defrancesco O.<sup>1</sup>, Bono P.<sup>1</sup>, Mandressi A.<sup>1</sup>, Buffi N.<sup>2</sup>, Guazzoni G.F.<sup>2</sup>, Taverna G.<sup>1</sup>

**Institutes:**<sup>1</sup>Humanitas Mater Domini, Dept. of Urology, Castellanza, Italy, <sup>2</sup>Humanitas Research Hospital, Dept. of Urology, Rozzano, Italy

376 **Safety and effectiveness of collagenase clostridium histolyticum (CCH) (Xiapex®) in the treatment of Peyronie's disease using a new shortened protocol**

**By:** [Abdel Raheem A.](#), Capece M., Kalejaiye A., Falcone M., Mubasher A., Parnham A., Garaffa G., Christopher N., Ralph D.

**Institutes:**University College London Hospital, Dept. of Andrology, London, United Kingdom

377 **Intralesional verapamil versus ialuronic acid for the treatment of Peyronie's disease: A randomized single-blinded study**

**By:** Favilla V.<sup>1</sup>, [Russo G.L.](#)<sup>1</sup>, Zucchi A.<sup>2</sup>, Siracusa G.<sup>3</sup>, Privitera S.<sup>1</sup>, Cimino S.<sup>1</sup>, Madonia M.<sup>3</sup>, Cai T.<sup>4</sup>,

Cavallini G.<sup>5</sup>, Liguori G.<sup>6</sup>, Silvani M.<sup>7</sup>, Dachille G.<sup>8</sup>, Franco G.<sup>9</sup>, Verze P.<sup>10</sup>, Palmieri A.<sup>10</sup>, Mirone V.<sup>10</sup>, Morgia G.<sup>1</sup>

**Institutes:**<sup>1</sup>University of Catania, Urology Section, Dept. of Surgery, Catania, Italy, <sup>2</sup>University of Perugia, Dept. of Urology, Perugia, Italy, <sup>3</sup>University of Sassari, Dept. of Urology, Sassari, Italy, <sup>4</sup>Santa Chiara Regional Hospital, Dept. of Urology, Trento, Italy, <sup>5</sup>Outpatient Clinic of Ferrara, Medicitalia Andrology Section, Ferrara, Italy, <sup>6</sup>Urology Unit, Cattinara Hospital, Trieste, Italy, <sup>7</sup>Hospital Degli Infermi, Dept. of Urology, Biella, Italy, <sup>8</sup>San Giacomo Hospital, Dept. of Urology, Monopoli, Italy, <sup>9</sup>University La Sapienza, Dept. of Urology, Rome, Italy, <sup>10</sup>University of Naples, Federico II, Dept. of Urology, Naples, Italy

378

**Daily tadalafil therapy: A new treatment option for Peyronie's disease?**

**By:** Park H.J.<sup>1</sup>, Park N.C.<sup>1</sup>, Kim T.N.<sup>1</sup>, Nam J.K.<sup>1</sup>, Moon D.G.<sup>2</sup>

**Institutes:**<sup>1</sup>Pusan National University Hospital, Dept. of Urology, Busan, South Korea, <sup>2</sup>Korea University Hospital, Dept. of Urology, Seoul, South Korea

379

**Penile enlargement with the Elist silicone implant: Safety and efficiency after 500 operations**

**By:** Elist J.J.<sup>2</sup>, Lemperle H.G.<sup>1</sup>

**Institutes:**<sup>1</sup>University of California, Dept. of Plastic Surgery, San Diego, United States of America, <sup>2</sup>Beverly Hills, Urology practice, Los Angeles, United States of America

17:15 - 17:22

**Summary**

M.M. Fode, Herlev (DK)